

SAFETY DATA SHEET Armor All® Heavy Duty Car Wash

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Armor All® Heavy Duty Car Wash

Product number 26001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Auto shampoo.

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Energizer Trading Ltd

Sword House Totteridge Road High Wycombe HP13 6DG

UK

Tel: +44 845 602 1995 euregulatory@energizer.com

1.4. Emergency telephone number

Emergency telephone +44 1495 350234

Monday - Thursday: 0830 - 1700

Friday: 0830 - 1530

National emergency telephone Product information has been submitted to the UK National Poisons Information Service

number (NPIS) and is accessible to medical health professionals.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word Warning

Armor All® Heavy Duty Car Wash

Hazard statements EUH208 Contains d-Limonene. May produce an allergic reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P102 Keep out of reach of children.

> P273 Avoid release to the environment. P280 Wear eye and face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

Contains a preservative (IODOPROPYNYL BUTYLCARBAMATE, DMDM HYDANTOIN) to

control microbial deterioration.

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, < 5% polycarboxylates,

Contains D-LIMONENE, DMDM HYDANTOIN, IODOPROPYNYL BUTYLCARBAMATE

statements

Supplementary precautionary P264 Wash contaminated skin thoroughly after handling.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium dodecylbenzenesulfonate 2 - <3%

CAS number: 25155-30-0 EC number: 246-680-4

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Eye Irrit. 2 - H319

1 - <2.5% 2-dodecoxyethyl hydrogen sulfate

CAS number: 9004-82-4 EC number: 618-398-5

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Armor All® Heavy Duty Car Wash

d-Limonene 0.5 - <1%

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Sodium hydroxide <0.025%

CAS number: 1310-73-2 EC number: 215-185-5

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Inhalation If throat irritation or coughing persists, proceed as follows. Remove person to fresh air and

keep comfortable for breathing. Get medical attention if symptoms are severe or persist.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if

symptoms are severe or persist.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Continue to rinse for at

least 15 minutes. Get medical attention if symptoms are severe or persist after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Prolonged or repeated exposure to vapours in high concentrations may cause the following

adverse effects: Drowsiness. Dizziness.

Ingestion Gastrointestinal symptoms, including upset stomach.

Skin contact Prolonged skin contact may cause redness and irritation. Prolonged contact may cause

dryness of the skin.

Eye contact Irritating to eyes. May cause discomfort. Pain. Profuse watering of the eyes. Redness.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. Keep affected person under observation.

Armor All® Heavy Duty Car Wash

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's

clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Eliminate all

ignition sources if safe to do so. Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections

See Section 11 for additional information on health hazards. For waste disposal, see Section

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from heat, sparks and open

flame. Provide adequate ventilation.

Advice on general occupational hygiene

Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Armor All® Heavy Duty Car Wash

Storage precautions Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take

precautionary measures against static discharges.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. For further information, see

attached Exposure Scenario.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day

Workers - Dermal; Long term local effects: 0.09 mg/cm²

General population - Inhalation; Long term systemic effects: 21.73 mg/m³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.056 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC Fresh water; 0.007 mg/l

marine water; 0.001 mg/l

STP; 830 mg/l

Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg

Soil; 0.035 mg/kg

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

DNEL Workers - Inhalation; Long term systemic effects: 152.22 mg/m³

Workers - Dermal; Long term systemic effects: 2158.33 mg/kg/day

General population - Inhalation; Long term systemic effects: 45.04 mg/m³ General population - Dermal; Long term systemic effects: 1295 mg/kg/day General population - Oral; Long term systemic effects: 12.95 mg/kg/day

PNEC Fresh water; 0.024 mg/l

Fresh water, Intermittent release; 0.02 mg/l

marine water; 0.002 mg/l

STP; 4 mg/l

Sediment (Freshwater); 0.767 mg/kg Sediment (Marinewater); 0.077 mg/kg

Soil; 1.21 mg/kg

8.2. Exposure controls

Protective equipment





Armor All® Heavy Duty Car Wash

Appropriate engineering

controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and

lighting equipment.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles

or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measuresDo not smoke in work area. Wash promptly with soap and water if skin becomes

contaminated. Wash at the end of each work shift and before eating, smoking and using the

toilet.

Respiratory protection Respiratory protection complying with an approved standard should be worn if a risk

assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective

equipment is suitable for its intended use and is 'UKCA'-marked.

Environmental exposure

controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Odour Orange.

Odour threshold Not determined.

pH pH (concentrated solution): 8.3

Melting point Not relevant.

Initial boiling point and range Not determined.

Flash point Not determined.

Evaporation rate Not determined.

Evaporation factor Not determined.

Flammability (solid, gas) Not relevant.

Upper/lower flammability or

explosive limits

Not relevant.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density Not determined.

Bulk density Not determined.

Solubility(ies) Soluble in water.

Partition coefficient Not determined.

Armor All® Heavy Duty Car Wash

Auto-ignition temperature Not relevant.

Decomposition Temperature Not relevant.

Viscosity 1500 - 2500 cP @ 40°C

Explosive properties Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None at ambient temperatures. Thermal decomposition or combustion products may include

the following substances: Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 19,665.68

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 43,264.5

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Armor All® Heavy Duty Car Wash

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Toxicological information on ingredients.

Sodium dodecylbenzenesulfonate

Acute toxicity - oral

Notes (oral LD₅₀) Acute Tox. 4 - H302 cATpE: Converted acute toxicity point estimate.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Acute Tox. 4 - H312 cATpE: Converted acute toxicity point estimate.

ATE dermal (mg/kg) 1,100.0

Serious eye damage/irritation

Serious eye Eye Irrit. 2 - H319

damage/irritation

d-Limonene

Acute toxicity - oral

Notes (oral LD₅o) > 2000 mg/kg Rat REACH dossier information. Read-across data.

Skin corrosion/irritation

Animal data Irritating to skin. REACH dossier information.

Serious eye damage/irritation

Serious eye Dose: 0.1 ml, 7 days, Rabbit REACH dossier information. Not irritating.

damage/irritation

Skin sensitisation

Armor All® Heavy Duty Car Wash

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier

information.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: Negative. REACH dossier information.

Genotoxicity - in vivo DNA damage and/or repair: Negative. REACH dossier information.

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 1650 mg/kg/day, Oral, Mouse REACH dossier information.

Aspiration hazard

Aspiration hazard 1.003 cSt @ 25°C/77°F REACH dossier information. Read-across data. Asp. Tox. 1

- H304

Sodium hydroxide

Skin corrosion/irritation

Animal data Skin Corr. 1A - H314 REACH dossier information.

Serious eye damage/irritation

Serious eye

Dose: 0.1 ml, 1 / 2 %, Rabbit Eye Dam. 1 - H318 REACH dossier information.

damage/irritation

Skin sensitisation

Skin sensitisation Patch test - Human: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. REACH dossier information.

SECTION 12: Ecological information

12.1. Toxicity

Ecological information on ingredients.

d-Limonene

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hours: 0.720 mg/l, Pimephales promelas (Fat-head Minnow)

EC₅₀, 48 hours: 0.36 mg/l, Daphnia magna

REACH dossier information.

Acute toxicity - aquatic

invertebrates REACH dossier information.

Acute toxicity - aquatic

EC₅o, 72 hours: 150 mg/l, Desmodesmus subspicatus

plants REACH dossier information.

Read-across data.

Acute toxicity - EC₅₀, 3 hours: 209 mg/l, Activated sludge

microorganisms REACH dossier information.

Read-across data.

Armor All® Heavy Duty Car Wash

Chronic aquatic toxicity

M factor (Chronic) 1

Sodium hydroxide

Acute aquatic toxicity

Acute toxicity - aquatic EC₅₀, 48 hours: 40.4 mg/l, Ceriodaphnia dubia

invertebrates REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

d-Limonene

Phototransformation Water - Half-life : 0.365 hours

REACH dossier information.

QSAR

Biodegradation Water - Degradation (80%): 28 days

REACH dossier information.

Read-across data.

The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

d-Limonene

Bioaccumulative potential BCF: 1022, REACH dossier information. QSAR

Partition coefficient log Pow: 4.38 REACH dossier information.

12.4. Mobility in soil

Mobility The product is soluble in water.

Ecological information on ingredients.

d-Limonene

Adsorption/desorption

Water - Koc: 1984 REACH dossier information. QSAR

coefficient

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvBThis product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

d-Limonene

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.

assessment

12.6. Other adverse effects

Armor All® Heavy Duty Car Wash

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Waste should not be disposed of untreated to the sewer unless fully compliant with the

requirements of the local water authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Armor All® Heavy Duty Car Wash

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ATE: Acute Toxicity Estimate.

DNEL: Derived No Effect Level.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

BCF: Bioconcentration Factor.

Revision comments Revised classification.

Revision date 30/03/2022

Revision 21

Supersedes date 19/10/2021

SDS number 54

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains d-Limonene. May produce an allergic reaction.

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.