





CNAS ## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 野营灯 LIV-1208 內置锂离子电池 18650 3.7V 2200MAH 8.14WH

Sample name: GLOBE LIGHT LIV-1208 INSIDE LI-ION BATTERY 18650 3.7V 2200MAH 8.14WH

宁波爱森电器有限公司 委托单位: NINGBO HISHEEN ELECTRICAL CO., LTD

宁波爱森电器有限公司 生产单位:

> 上海化工院检测有限公司 Shanghai Institute of Chemical Industry Testing Co., Ltd





货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

NO. 212200946136625 Page 1/3

			rtification for Safe Transport			
中文 Chinese Sample Name 英文 English 委托单位 Consignor 生产单位 Manufacturer		Chinese	野営灯 LIV-1208 内置锂离子电池 18650 3.7V 2200MAH 8.14WH GLOBE LIGHT LIV-1208 INSIDE LI-ION BATTERY 18650 3.7V 2200MAH 8.14WH			
		英文				
			宁波爱森电器有限公司 NINGBO HISHEEN ELECTRICAL CO., LTD 宁波爱森电器有限公司			
		单位				
检验方法、程序 Inspection method and procedure			國际海事组织《国际海运危险货物规则》(2020版) IMO International Maritime Dangerous Goods Code (2020 Edition)			
样品外观 Sample appearance			黑色,白色双色塑胶及玻璃外壳 Black and white Plastics cement and glass shell			
Pa		牛信息 nformation	/			
序号	-	电池种类 lettery type	型号 Model	容量Capacity /包含量Li content	放置方式 Placement	
NO. 1	可充电位 Recha	Battery type 理离子单电芯电池 rgeable Li-ion e cell battery	18650	2200mAh 8.14Wh	安装在设备内 Contained in equipment	
		里离子电池。 ithium ion batte	azards identification)			
鉴定结论	I DENTI FI CATI ON CONCL USI	A 海运按照国际 Code) 根据特殊规定188, he article is no	ry.	·	estion according to IMO IMD g to special provision 188.	

Approver: $\vec{\ell}$

审核 Checker:

主检 Appraiser:

品价



货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

NO. 212200946136625 Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things				
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.				
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 811900100366705 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.				
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained.				
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.				
5	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.				
6					
7					
	验证码: 358956-				





货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

NO. 212200946136625 Page 3/3







报告结束