





Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 铁路灯LIV-180/181/280/281/282(内置锂电池2-18650 3.7V 4400mAh)

LIV-180/181/280/281/282Railroad Lantern (With Li-ion battery 2-18650 3.7V Sample name:

4400mAh)

宁波爱森电器有限公司 委托单位:

NINGBO HISHEEN ELECTRICAL CO., LTD

宁波爱森电器有限公司

生产单位:



上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





		С	ertification for Safe Transp	ort of Chemical Goods	Page 1/3	
样品。		中文 Chinese		⁷ 282(内置锂电池2-18650 3.7V 440	OOmAh)	
Sample	· Name	英文 English	LIV-180/181/280/281/282Ra	ilroad Lantern (With Li-ion bat	ttery 2-18650 3.7V 4400mAh)	
委托单位 Consignor			宁波爱森电器有限公司 NINGBO HISHEEN ELECTRICAL CO., LTD			
生产单位 Manufacturer			宁波爱森电器有限公司			
检验方法、程序 Inspection method and procedure						
样品外观 Sample appearance			多种颜色塑胶及金属外壳 Multicolor Plastics cement and metal shell			
包装件信息 Package information			/			
序号 NO.		电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
1	可充	电锂离子电池组 urgeable Li-ion battery	2-18650	4400mAh 16, 28Wh	安装在设备内 Contained in equipment	
鉴定	I DENTI FI CATI	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMD Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.				
结论	USI	3. 包装要求 (Packaging requirements) 无。 None. 检验日期: 2021-12-01				
备》 Comn		Inspection Dat	e: Issue Date:	ETTECTIVE DE	aug:	

批准 Approver:

审核 Checker:

主检 Appraiser: 品价



NO. 212200902977063

货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods


Page


序号 No.	检验结果及其他事项 Inspection results and other things				
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.				
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812000700195698 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.				
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained.				
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.				
5	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.				
6					
7					
	-验证码:588185-				






Page 3/3











报告结束

