

REPORT No.: DG8200828-15046EDate: September 14, 2020

Page 1 of 6

BAREBONES SYSTEMS,LLC. 1215 EAST WILMINGTON AVENUE-STE.140 SALT LAKE CITY UT 84106

Report on the submitted samples said to be:

Sample Description : 2.0 USB Extension Cable-2m (Braided)

Color : Black grey

Country of Destination : USA

Sample Receiving Date : August 28, 2020

Testing Period : From August 28, 2020 to September 14, 2020

Results : Please refer to next page(s).

Signed for and on behalf of BACL

Checked by:

Chova Fond

Approved by:



RE	EPORT No.: DG8200828-15046E	Date: September 14, 2020	Page 2 of 6
****	**************************************	***********	*********
<u>TE</u>	EST REQUEST		CONCLUSION
Α	US California Proposition 65 on Lead content		Pass
В	US California Proposition 65 on Phthalates (DBP, B	BP, DEHP and DINP) content	Pass
Pas	ss= Meet the Requirement of Client		



REPORT No.: DG8200828-15046EDate: September 14, 2020

Page 3 of 6

Results:

Tested part(s):

- (1) Brown coated leather(wire fixer)
- (2) Black plastic(plug connector)
- (3) Black plastic(slot connector)
- (4) Silvery metal with black surface(plug)
- (5) Silvery metal with black surface(socket)
- (6) Bronze metal(nipple stud, semi-product)
- (7) Bronze metal(back of nipple stud)

Remark 1: Sample (6) was tested by semi-product according to the applicant's request, The applicant will undertake all differences and risk.

Remark 2: The test result of sample (6) is shown retest result, and the retest sample was provided by client on September 10, 2020.

A. US California Proposition 65. on Lead content

Total Lead Content (In substrate)

<u>Test method:</u> With reference to CPSC-CH-E1001-08.3/ CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by Atomic Absorption Spectrometry (AAS).

Item	Unit	MDL		Client's Limit		
item			(1)	(2)	(3)	Ciletit S Lillill
Lead (Pb)	mg/kg	10	N.D.	11	23	100
Conclusion	1	1	Pass	Pass	Pass	1

Item	Unit	MDL		Client's Limit		
item			(4)+(5)	(6)	(7)	Chent's Limit
Lead (Pb)	mg/kg	10	14	12	58	100
Conclusion	1	1	Pass	Pass	Pass	1

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg=ppm
- "+"= Mixed, The admixture of specimen is tested as a whole(part) which according to the applicant's request, the result of report as average value because of the whole specimen is regarded as constituting from the homogeneous material. If the testing of specimen may have the obvious difference, and the result may exceed the number in this report. The applicant will undertake all differences and risk.
- Photo is included.



REPORT No.: DG8200828-15046EDate: September 14, 2020

Page 4 of 6

B. US California Proposition 65. on Phthalates (DBP, BBP, DEHP and DINP) content

<u>Test method:</u> With reference to CPSC-CH-C1001-09.4, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

Itam	Unit	MDL	Results			Client's
Item			(1)	(2)	(3)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Diisononyl Phthalate (DINP)	mg/kg	100	N.D.	N.D.	N.D.	1000
Conclusion	1	1	Pass	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- % = Percentage by weight
- -0.1% = 1000 mg/kg, mg/kg = ppm
- Photo is included.



REPORT No.: DG8200828-15046EDate: September 14, 2020

Page 5 of 6

Photograph of Sample





BACL authenticate the photo on original report only



REPORT No.: DG8200828-15046EDate: September 14, 2020

Page 6 of 6

Directions:

- 1. This report cannot be reproduced except in full, without prior written approval of the Company.
- 2. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5. The information which provided by the applicant, such as sample description, sample name ,material component, style/item No. , P.O. No. , manufacture, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6. The test samples were in good condition before testing.
- 7. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

*** End of Report ***