★ 空 运 By Air





CNAS 於物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池 -符合包装说明967第[[部分

样品名称: 手电筒LIV-257/290/291/190(内置锂电池18650(1S1P) 3.7V 2200MAH)

Sample name: VINTAGE EDISON FLASHLIGHT

宁波爱森电器有限公司

委托单位: NINGBO HISHEEN ELECTRICAL CO., LTD

宁波爱森电器有限公司 生产单位:

上海化工 院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





Page 1/3

货物运输条件鉴定书 Certification for Safe Transport of Chemical Goods

手电筒LIV-257/290/291/190(内置锂电池18650(ISIP) 3.7V 2200MAH) 中文 样品名称 Chinese Sample Name VINTAGE EDISON FLASHLIGHT 英文 English 宁波爱森电器有限公司 委托单位 NINGBO HISHEEN ELECTRICAL CO., LTD Consignor 宁波爱森电器有限公司 生产单位 Manufacturer 国际航空运输协会《危险品规则》63版 检验方法、程序 IATA Dangerous Goods Regulations (DGR) 63rd Edition Inspection method and procedure 银色,绿色双色塑胶及金属外壳 样品外观 Silvery and green Plastics cement and metal shell Sample appearance 包装件信息 锂电池总净重≤5kg。 Lithium batteries total net weight≤5kg. Package information 序号 电池种类 型号 容量Capacity 放置方式 单颗重量kg 数量 NO. Battery type Model Placement /锂含量Li content Unit weight Quantity 可充电锂离子单电芯电池 18650 (1STP) 2200mAh 8, 14Wh 安装在设备内 0.0459 24 Rechargeable Li-ion Contained in equipment single cell battery 1. 危险性识别(Hazards identification) 锂离子电池。 Lithium ion battery. DENTI FI 鉴 2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR) 该物品满足包装说明967基本要求和第11部分的规定。 CATI ON CONCL The goods meet the requirements in General Requirements and section II of Packaging Instruction 967. 定 结 3. 包装要求(Packaging requirements) 论 按包装说明967第11部分要求办理。 The goods are packaged according to the Packaging Instruction 967 section II 检验日期: 签发日期: 生效日期: 2021-11-30 2021-12-01 Inspection Date: Effective Date: Issue Date: 备注

批准 Approver:

Comment

Checker:

主检 Appraiser:





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200603225445 Page 2/3

序号	检验结果及其他事项
No.	Inspection results and other things
1	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.
2	本报告所述锂电池已通过《联合国试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812000800717139 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	设备装入由适当材料构造的坚固的刚性外包装内。 The equipment is packed in strong rigid outer packagings constructed of suitable material.
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 当同一外包装中含多台设备时,应对设备进行包装并防止与其他设备接触,以防损坏。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation. Where multiple pieces of equipment are packed in the same outer packaging, the equipment must be packed and protected against contact with other equipment so as to prevent damage.
5	一当使用航空货运单时,如果托运货物中有贴锂电池标记的包装件,那么必须在"货物性质和数量"栏注明"锂离子电池符合包装说明967第II部分"。 如果在一份航空货运单内包含来自多个包装说明第II部分的锂电池包装件时,对于不同的锂电池类型和/或包装说明可以合并为一份声明,前提是声明中注明适用的锂电池类型和包装说明编号。 —Where a consignment includes packages bearing the lithium battery mark, the words "lithium ion batteries in compliance with Section II of PI 967" must be included on the air waybill, when an air waybill is used. The information should be shown in the "Nature and Quantity of Goods" box of the air waybill. —Where packages of Section II lithium batteries from multiple packing instructions are included on one air waybill, the compliance statement for the different lithium battery types and/or packing instructions may be combined into a single statement provided that the statement identifies the applicable lithium battery type(s) and packing instruction numbers.
6	每个包装件必须耐久清晰地标识DGR图7.1.C所示标记。包装件必须具有足够的尺寸在其一个面上粘贴未被折叠的标记。Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR. The package must be of such a size that there is adequate space to affix the mark on one side of the package without the mark being folded.
7	







