♣ 海 등 By Sea



NO.2120043170



Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 野营灯LIV-295/296/297(内置锂电池18650(1S1P) 2200MAH 3.7V)

BEACON-ANTIQUE BRONZE/BEACON-RED/BEACON-COPPER Sample name:

委托单位: 宁波爱森电器有限公司

NINGBO HISHEEN ELECTRICAL CO., LTD

生产单位: 宁波爱森电器有限公司





Certification for Safe Transport of Chemical Goods

			Certification for Safe Transport of	Chemical Goods	rage	
样品名称 Sample		中文 Chinese	野营灯LIV-295/296/297(内置锂电池18650(1S1P) 2200MAH 3.7V)			
	ame	英文 English				
委托单位 Consignor			宁波爱森电器有限公司 NINGBO HISHEEN ELECTRICAL CO., LTD			
	生产. Manufa		宁波爱森电器有限公司			
	检验方法		国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)			
样品外观 Sample appearance			多种颜色塑胶及金属外壳 Multicolor Plastics cement and metal shell			
包装件信息 Package information						
序号 NO.		池种类 tery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
1	可充电锂离子单电芯电池 Rechargeable Li-ion single cell battery		18650 (1S1P)	8. 14 W h	安装在设备内 Contained in equipment	
鉴	但 Li 2. IM 根	1. 危险性识别 (Hazards identification) 程离子电池。 Lithium ion battery. 2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。				
定	N 18	The article is not subject to other provisions of IMO IMDG Code according to special provision 188.				
结论	CO 无	3. 包装要求 (Packaging requirements) 无。 None.				
,,		检验日期: Inspection Date	签发日期: 2020-04-24 Issue Date	e: 2020-04-24	生效月期: fective Date: 1 2020-04-24	
备i Comn	注 /				(06)	

批准 Approver: 指小W

审核 Checker:

董学性

主检 Appraiser:

研价





货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120043170 Page 2/3

序号	检验结果及其他事项				
No.	Inspection results and other things				
1	本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5.				
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812000800717139 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.				
3	设备应装入由适当材料构造的坚固外包装内,材料的强度和设计应与包装的容量和用途相符,除非装有电池的设备对电池提供了等效保护。 The equipment should be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained.				
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.				
	每个包装件必须标示恰当的锂电池标记。 Each package shall be marked with the appropriate lithium battery mark.				
6					
7					



Certification for Safe Transport of Chemical Goods

