★ Sey Air



仅限货机





# CNAS LINGTECTION 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

#### 危险品

样品名称

移动电源 LIV-300 3.7V 4400mAh 16.28Wh

Sample name:

POWER BANK LIV-300/3.7V/4400mah

东莞市源心电子科技有限公司

委托单位:

Power System Electronic Technology Co., Ltd.

生产单位:

东莞市源心电子科技有限公司

Power System Electronic Technology Co., Ltd.



检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





### 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200410491239 1/3Page

样品名称	中文 Chinese		V 4400mAh 16.28Wh			
ample Nam	要文 English	POWER BANK LIV-300/3. 7V/4400mah				
委托单位 Consignor		东莞市源心电子科技有限公司 Power System Electronic Technology Co., Ltd.				
生产单位 Manufacturer 检验方法、程序 Inspection method and procedure		东莞市源心电子科技有限公司 Power System Electronic Technology Co., Ltd.				
	品外观 appearance	黑色塑胶外壳 Black Plastics cemer	nt shell			
	件信息 information	锂电池总净重≤10kg。 Lithium batteries t	otal net weight≤10kg.		<b>丛麻壬里</b> [	数量
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content 4400mAh 16,28Wh	<b>被置方式</b> Placement 电池单独运输	单颗重量kg Unit weight 0.126	Quantity
	充电锂离子电池组 hargeable Li-ion battery	LIV-300	4400mAn 10. 20mm	Battery only		
- DENTI			51	Suggestion accord	ding to TATA	
DENTI FI CATI ON		ithium ion batteries on:9	<b>验品规则》办理的类项</b> (	3480	ing to inin	DGR)
定 结 论	Shipping name:L Class or divisi UN Number:UN348	ithium ion batteries on:9			ing to ikik	DGR)

批准

Approver:

Checker:

主检 Appraiser:

顧楊幸



## 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200410491239 Page 2/3

号	检验结果及其他事项 Inspection results and other things
No.	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。
	本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.0.1(e) 规定的从至13从至13从至13从至13从至13从至13从至13从至13从至13从至13
1	DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for
	safety reasons.  Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
	本报告所述锂电池已通过《联合国试验和标准手册》第111部分38.3小节相应测试要求。
	本报告所述锂电池已通过《联音国讯题和特征》加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加加
	包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of
- 1	Lithium cells and batteries listed in this report art of the Opperation of the UN Manual of Tests and Criteria, Part III, sub-section 38.3.
2	The package has passed the 1.2m drop test.
	UN38.3 试验概要编号 The UN38.3 Test Summary No.(s)
	812000800308017 详细信息请扫描右侧二维码。
	Please scan the QR code on the right for more information.
	锂电池完全封装在内包装内,位于坚固的刚性外包装中。
	由地具有活的防矩路措施。
	电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong
3	1 1 1 to a make ging
1.50	Cells and batteries are properly protected to prevent short circuits.
	按DGR 1B部分托运的电池必须根据第8部分规定在托运人申报单中描述:并且当使用航空货运单时,货运单必须包含8.2.1和8.2.2中相关
4	适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration as cells of the provision of Section IB in IATA DGR must be described on a Shipper's Declaration of the DGR must be described on the D
	and the second s
	除使用9类锂电池危险性标签(DGR图7, 3, X)外,每个包装件必须按DGR图7, 1, C所示做耐久清晰的标记。 每个包装件必须按DGR7, 1, 4, 1(a)和(b)要求标记,此外当7, 1, 4, 1(c)有要求时还必须标明包装件净重。
	每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Fach package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class
5	9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR). Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the ne Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the ne
	weight when required by 7.1.4.1(c) must be marked on the package.  Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).
	4世上以大义帝王初诗编章·宗昌的90%
	. It is the statement of the consignor. Illinum fon certs and batterior
	at a state of charge (SoC) not exceeding 30% of their rated capacity.
6	at a state of charge (500) has exercise
	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装
	电池不得与第1类爆炸品(1.4S项除外), 2.1项分涨飞冲, 另3天勿然似冲, 3.1次多流流
7	或集合包装内。
	Cells and batteries must not be packed in the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same of the same of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer packaging or overpack with dangerous general content of the same outer general content of the same of the sam
	(explosives) other than pivision 1. 13, privision 2. 1 (oxidizers).
	solids) or Division 5.1 (oxidizers).
	-验证码:548725-

#### 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200410491239 Page 3/3



\*\*\*报告结束\*\*\*