





Certification for Safe Transport of Chemical Goods

锂电池类货物

移动电源 LIV-300 3.7V 4400mAh 16.28Wh 样品名称:

POWER BANK LIV-300/3.7V/4400mah Sample name:

东莞市源心电子科技有限公司

Power System Electronic Technology Co., Ltd. 委托单位:

东莞市源心电子科技有限公司

生产单位 Power System Electronic Technology Co., Ltd.

检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd





货物运输条件鉴定书

NO. 212200510191940

Page 1/3

Certification for Safe Transport of Chemical Goods

	Ce	ertification for Safe Transpor	t of Chemical Goods	Page 1/3
		移动电源 LIV-300 3.7V 4400mA	h 16. 28Wh	
	中文			
样品名称	Chinese			
Sample Nar	me	POWER BANK LIV-300/3. 7V/4400	mah	
	英文	TOWER BRINK ETT 5007 5. TV/ TTO		
	English			
	Z.iigiioii			
委	托单位	东莞市源心电子科技有限公司		
	nsignor	Power System Electronic Tech	nnology Co., Ltd.	
生产单位		东莞市源心电子科技有限公司		
エアギゼ Manufacturer		Power System Electronic Technology Co., Ltd.		
No. 15 (1)		国际海事组织《国际海运危险货	・物報別》(2020版)	
检验方法、程序		IMO International Maritime Dangerous Goods Code (2020 Edition)		
Inspection me	thod and procedure			***
样	品外观	黑色塑胶外壳		
Sample	appearance	Black Plastics cement shell		
		重量≤30kg。		
	e information	weight≤30kg.		
序号	电池种类	型号	容量Capacity	放置方式
NO.	Battery type	Model	/锂含量Li content	Placement
	充电锂离子电池组	LIV-300	4400mAh 16.28Wh	电池单独运输
Red	chargeable Li-ion			Battery only
	battery			
I DENTI FI CATI ON CC	Code) 根据特殊规定188,	该物品不受TMO IMDG Code其他组	物规则》办理的类项(Suggest 条款限制。 as of IMO IMDG Code according t	
结 论	- LVLT-D /D			
·	3. 包装要求 (Pac	ckaging requirements)		
论 5	无。			如土田
9	None.			一种用州人
3	检验日期: Inspection Dat	2021-12-28 签发日期: e: Issue Date:	生效日期: 2021-12-28 生效日期: Effective Date	2022-01-01
备注 Comment	t			

审核 走完的 Checker: 主检 Appraiser: 殿档幸



MINITE

Page	2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812000800308017 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规 定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188.
6	
7	
	-验证码: 469342-



Page 3/3



报告结束