





CNAS 检验 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称: 锂离子电池2*18650 3.7V 4400mAh 16.28Wh

Sample name: Li-ion battery 2*18650 3.7V 4400mAh 16.28Wh

宁海县西店沛隆电器厂 委托单位:

Ninghai Xidian Peilong Electric Appliance Factory

宁波蓝琦电子科技有限公司 生产单位:

Ningbo Lanqi Electronic Technology CO., LTD.



院检测有限公司 上海化工

Shanghai Institute of Chemical Industry Testing Co., Ltd





		C	ertification fo	r Safe Transpo	ort of Chemica	l Goods		Page 1	/3
	5名称 e Name	中文 Chinese	锂离子电池2*	18650 3.7V 4400	OmAh 16.28Wh				
Sampl	e mame	英文 English	Li-ion batte	ry 2*18650 3.7	V 4400mAh 16.28	3Wh			
委托单位 Consignor			宁海县西店沛隆电器厂 Ninghai Xidian Peilong Electric Appliance Factory						
生产单位 Manufacturer			宁波蓝琦电子科技有限公司 Ningbo Lanqi Electronic Technology CO., LTD.						
检验方法、程序 Inspection method and procedure			国际海事组织《国际海运危险货物规则》(2020版) IMO International Maritime Dangerous Goods Code (2020 Edition)						
样品外观 Sample appearance			白色,红色双色塑料薄膜外壳 white and red plastic film shell						
	包装作 ckage ii	nformation	重量≤30kg。 weight≤30kg.	~~~~					
序号 NO.	可充印	电池种类 Battery type 电锂离子电池组 rgeable Li-ion battery	M	型号 lodel 18650	/锂含量	Capacity Li content n 16, 28Wh	放置方式 Placeme 电池单独运 Battery o	nt 运输	
鉴定结论	I DENTI FI CATI ON CONCL USI	ode) 艮据特殊规定188,	海事组织《国 该物品不受IMO ot subject to	IMDG Code其他 other provisio	条款限制。		ction according to		IDG W FILL Y
				於 山 口 tho		生效日期:			

批准 Approver:

审核 Checker:





Page

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

	Certification for Safe Transport of Chemical Goods 1 age 2/3
序号	检验结果及其他事项
No.	Inspection results and other things
1	本报告所述锂电池按照《国际海运危险货物规则》(2020版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2020 EDITION 2.9.4.5.
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 811900300159717 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188.
6	
7	,

-验证码:753258-

NO. 212200309310836

Page 3/3

Certification for Safe Transport of Chemical Goods







