

according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name

**California Scents Car Scents Sunset Woods** 

Registration number (REACH) not relevant (mixture)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

## 1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376

e-mail: ConsumerServiceEU@energizer.com

## 1.4 Emergency telephone number

**Emergency information service** 

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre		
Name	Postal code/city	Telephone
UK poison centre		Product information has been sub- mitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health pro- fessionals.

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.45	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

United Kingdom: en Page: 1 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17

Replaces version of: 2021-06-21 (GHS 1)

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word warning

- Pictograms

GHS02, GHS07, GHS09



#### - Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

## - Supplemental hazard information

- Hazardous ingredients for labelling

EUH006 Explosive with or without contact with air.

darwood

darwood oil, Texas

Dorisyl, Patchouli ethanone, Benzyl salicylate, Ce-

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

- Hazard pictogram(s)

Warning. GHS02, GHS07, GHS09

- Hazard statements

H317 May cause an allergic skin reaction.

United Kingdom: en Page: 2 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17

Replaces version of: 2021-06-21 (GHS 1)

#### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

#### - Supplemental hazard information

EUH006 Explosive with or without contact with air.

- Contains Dorisyl, Patchouli ethanone, Benzyl salicylate, Cedarwood oil, Texas

#### 2.3 Other hazards

of no significance

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

## 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dorisyl	CAS No 32210-23-4	25 - < 50	Skin Sens. 1B / H317	<u>(!)</u>
	EC No 250-954-9			<b>~</b>
	REACH Reg. No 01-2119976286-24- xxxx			
Patchouli ethanone	CAS No 54464-57-2	10-<25	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 1 / H410	<b>(1) (¥₂</b> >
	EC No 259-174-3			
Benzyl salicylate	CAS No 118-58-1	5 – < 10	Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	<u>(1)</u>
	EC No 204-262-9		1,	·
	REACH Reg. No 01-2119969442-31- xxxx			

United Kingdom: en Page: 3 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Cedarwood oil, Texas	CAS No 68990-83-0 91722-61-1 EC No 614-888-8 294-461-7 REACH Reg. No 01-2120753603-56- xxxx	1-<5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Acetyl cedrene	CAS No 32388-55-9 EC No 251-020-3 REACH Reg. No 01-2119969651-28- xxxx	1-<5	Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<b>₹</b>
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0 EC No 639-566-4 202-983-3 REACH Reg. No 01-2119533092-50- xxxx	1-<5	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	<b>₹</b>
dihydro pentamethyl- indanone	CAS No 33704-61-9 EC No 251-649-3 REACH Reg. No 01-2119977131-40- xxxx	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	<b>₹</b> 2

For full text of abbreviations: see SECTION 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

United Kingdom: en Page: 4 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United Kingdom: en Page: 5 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

United Kingdom: en Page: 6 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

**Notation** 

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified)

United Kingdom: en Page: 7 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
Benzyl salicylate	118-58-1	DNEL	7.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
Benzyl salicylate	118-58-1	DNEL	2.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Cedarwood oil, Texas	68990-83-0 91722-61-1	DNEL	6.41 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
Cedarwood oil, Texas	68990-83-0 91722-61-1	DNEL	7.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Acetyl cedrene	32388-55-9	DNEL	1.17 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
Acetyl cedrene	32388-55-9	DNEL	0.333 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	0.078 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects	
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	6.28 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects	
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects	
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	acute - local effects	
dihydro penta- methylindanone	33704-61-9	DNEL	1.47 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
dihydro penta- methylindanone	33704-61-9	DNEL	0.42 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
dihydro penta- methylindanone	33704-61-9	DNEL	5,510 µg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects	

# Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dorisyl	32210-23-4	PNEC	5.3 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)

United Kingdom: en Page: 8 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dorisyl	32210-23-4	PNEC	0.53 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Benzyl salicylate	118-58-1	PNEC	0.0103 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Benzyl salicylate	118-58-1	PNEC	80 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.583 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.058 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	1.41 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	1.74 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	0.174 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom: en Page: 9 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Acetyl cedrene	32388-55-9	PNEC	24.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	2.44 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	4.87 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	3.2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.064 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.398 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	0.004 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	99.1 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	9.91 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
dihydro penta- methylindanone	33704-61-9	PNEC	17.4 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

# 8.2 Exposure controls

Appropriate engineering controls General ventilation.

United Kingdom: en Page: 10 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	196.2 °C at 101.3 kPa
Flammability	flammable liquid in accordance with GHS criteria

United Kingdom: en Page: 11 / 26



9.2

according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

s version of: 2021-06-21 (GHS 1)	
Lower and upper explosion limit	not determined
Flash point	115 °F
Auto-ignition temperature	388 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	0.25 kPa at 25 °C
Density and/or relative density	
Density	not determined
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other information	
Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equipment: 300°C)

United Kingdom: en Page: 12 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

If exposed to air:

Danger of explosion.

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

United Kingdom: en Page: 13 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dorisyl	32210-23-4	EC50	302 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Benzyl salicylate	118-58-1	EC50	1.21 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	LC50	4.34 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Cedarwood oil, Texas	68990-83-0 91722-61-1	LL50	15 <sup>mg</sup> / <sub>l</sub>	fish	3 h
Cedarwood oil, Texas	68990-83-0 91722-61-1	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Acetyl cedrene	32388-55-9	EC50	0.32 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

United Kingdom: en Page: 14 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	21 d
dihydro pentamethyl- indanone	33704-61-9	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

# 12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Dorisyl	32210-23-4	carbon dioxide generation	75 %	29 d		ECHA
Benzyl salicyl- ate	118-58-1	oxygen deple- tion	93 %	28 d		ECHA
Cedarwood oil, Texas	68990-83-0 91722-61-1	oxygen deple- tion	72 %	28 d		ECHA
Acetyl cedrene	32388-55-9	oxygen deple- tion	-1 %	7 d		ECHA
Hexyl cinnamal- dehyde	165184-98-5 101-86-0	oxygen deple- tion	97 %	28 d		ECHA
dihydro penta- methylindan- one	33704-61-9	oxygen deple- tion	0 %	28 d		ECHA

# 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dorisyl	32210-23-4	234	4.8 (25 °C)	
Benzyl salicylate	118-58-1		4 (35 °C)	
Cedarwood oil, Texas	68990-83-0 91722-61-1		≥4.33 - ≤6.94 (25 °C)	
Acetyl cedrene	32388-55-9	3,920	≥5.6 - ≤5.9	

United Kingdom: en Page: 15 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	ВСГ	Log KOW	BOD5/COD
Hexyl cinnamaldehyde	165184-98-5 101-86-0		5.3 (24 °C)	
dihydro pentamethylindanone	33704-61-9	82	4.2 (20 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID/ADN	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

United Kingdom: en Page: 16 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

14.2 UN proper shipping name

ADR/RID/ADN FLAMMABLE LIQUID, N.O.S. IMDG-Code FLAMMABLE LIQUID, N.O.S. ICAO-TI Flammable liquid, n.o.s.

14.3 Transport hazard class(es)

ADR/RID/ADN 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

**14.5** Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic Patchouli ethanone environment)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

DOT

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Particulars in the transport document UN1993, FLAMMABLE LIQUID, N.O.S., 3, III, (D/E),

environmentally hazardous

Classification code F1

Danger label(s) 3, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 601 Excepted quantities (EQ) E1

United Kingdom: en Page: 17 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Limited quantities (LQ) 5 L

Transport category (TC) 3

Tunnel restriction code (TRC) D/E

Hazard identification No 30

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN1993, FLAMMABLE LIQUID, N.O.S., (Patchouli

**3Y** 

ethanone, solution), 3, III, 46.11°C c.c., MARINE

POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment) (Patchouli ethanone)

Danger label(s) 3, fish and tree



**Emergency Action Code** 

Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, <u>S-E</u>
Stowage category A

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., 3, III

Environmental hazards Yes (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

10 L

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom: en Page: 18 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

# Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
California Scents Car Scents Sunset Woods	this product meets the criteria for clas- sification in accordance with Regula- tion No 1272/2008/EC		R3	3
Hexyl cinnamaldehyde	substances in tattoo inks and perman- ent make-up		R75	75
Patchouli ethanone	substances in tattoo inks and perman- ent make-up		R75	75
Benzyl salicylate	substances in tattoo inks and perman- ent make-up		R75	75
Acetyl cedrene	substances in tattoo inks and perman- ent make-up		R75	75
dihydro pentamethylindanone	substances in tattoo inks and perman- ent make-up		R75	75
Cedarwood oil, Texas	substances in tattoo inks and perman- ent make-up		R75	75
Dorisyl	substances in tattoo inks and perman- ent make-up		R75	75

## Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- $\boldsymbol{-}$  can be used as fuel in decorative oil lamps for supply to the general public, and
- present an aspiration hazard and are labelled with H304.
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows:
  "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

United Kingdom: en Page: 19 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

#### Legend

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator; (ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance. 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Breen 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concen-

United Kingdom: en Page: 20 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# California Scents Car Scents Sunset Woods

Version number: GHS 2.0 Revision: 2021-12-17

Replaces version of: 2021-06-21 (GHS 1)

#### Legend

tration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8). 10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

## Water Framework Directive (WFD)

none of the ingredients are listed

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### Regulation on drug precursors

none of the ingredients are listed

## Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

United Kingdom: en Page: 21 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) **CSCL-ENCS** 

Domestic Substances List (DSL) DSL

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances **IECSC** 

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS** 

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

**TSCA** Toxic Substance Control Act

## **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Supplemental hazard information: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: Dorisyl, Patchouli ethanone, Benzyl salicylate, Ce- darwood oil, Texas, Hexyl cinnamaldehyde, di- hydro pentamethylindanone, Acetyl cedrene	- Hazardous ingredients for labelling: Dorisyl, Patchouli ethanone, Benzyl salicylate, Cedarwood oil, Texas	yes

United Kingdom: en Page: 22 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Supplemental hazard information: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
10.1		If exposed to air: Danger of explosion.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	

United Kingdom: en Page: 23 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17 Replaces version of: 2021-06-21 (GHS 1)

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
DOT	Department of Transportation (USA)	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nation	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	

United Kingdom: en Page: 24 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17

Replaces version of: 2021-06-21 (GHS 1)

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

# Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

United Kingdom: en Page: 25 / 26



according to Regulation (EC) No. 1907/2006 (REACH)

# **California Scents Car Scents Sunset Woods**

Version number: GHS 2.0 Revision: 2021-12-17

Replaces version of: 2021-06-21 (GHS 1)

Code	Text
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 26 / 26